
LINEARlight FLEX DIFFUSE Connection system

Accessories for Flexible LED strips



Product family datasheet


Technical data

Dimensions & weight


Product description	Product weight	Height	Width	Length
FX-DCS -G1-CM2PF-IP67-500-X5	105.00 g	19.0 mm	18.5 mm	26.6 mm
FX-DCS -G1-CM2PF-IP67-TOPKIT5	122.30 g	30.0 mm	150.0 mm	260.0 mm
FX-DCS -G1-CM2PJ-IP67-0190-X5	85.00 g	19.0 mm	18.5 mm	26.6 mm
FX-DCS -G1-CM2PJ-IP67-TOPKIT5	102.30 g	30.0 mm	150.0 mm	260.0 mm
FX-DCS -G1-ECT-KIT20	34.60 g	11.6 mm	16.1 mm	9.2 mm
FX-DCS -G1-EHT-KIT20	63.00 g	11.6 mm	16.1 mm	17.0 mm
FX-DCS -G1-GL-25	26.00 g	30.0 mm	150.0 mm	100.0 mm
FX-DCS -G1-CM2PF-IP67-SIDEKIT5	118.10 g	30.0 mm	150.0 mm	260.0 mm
FX-DCS -G1-CM2PJ-IP67-SIDEKIT5	98.10 g	30.0 mm	150.0 mm	260.0 mm
FX-DCS -G1-ECS-KIT20	26.20 g	14.1 mm	12.0 mm	6.2 mm
FX-DCS -G1-EHS-KIT20	51.40 g	14.5 mm	12.4 mm	11.0 mm

Product family datasheet

Product line drawing




FX-DCS -G1-CM2PF-IP67-500-X5




FX-DCS -G1-CM2PF-IP67-TOPKIT5

Product family datasheet




FX-DCS -G1-CM2PJ-IP67-0190-X5




FX-DCS -G1-CM2PJ-IP67-TOPKIT5, FX-DCS -G1-ECT-KIT20

Product family datasheet




FX-DCS -G1-EHT-KIT20




FX-DCS -G1-GL-25

Product family datasheet




FX-DCS -G1-CM2PF-IP67-SIDEKIT5



FX-DCS -G1-CM2PJ-IP67-SIDEKIT5, FX-DCS -G1-ECS-KIT20

Product family datasheet



FX-DCS -G1-EHS-KIT20

Logistical data

Product description	Commodity code
FX-DCS -G1-CM2PF-IP67-500-X5	853690959900
FX-DCS -G1-CM2PF-IP67-TOPKIT5	853661909000
FX-DCS -G1-CM2PJ-IP67-0190-X5	853690959900
FX-DCS -G1-CM2PJ-IP67-TOPKIT5	853661909000
FX-DCS -G1-ECT-KIT20	940599009000
FX-DCS -G1-EHT-KIT20	940599009000
FX-DCS -G1-GL-25	391000009000
FX-DCS -G1-CM2PF-IP67-SIDEKIT5	853661909000
FX-DCS -G1-CM2PJ-IP67-SIDEKIT5	853661909000
FX-DCS -G1-ECS-KIT20	940599009000
FX-DCS -G1-EHS-KIT20	940599009000

Application advice



For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Product family datasheet

Download Data

File	
	User instruction LINEARLIGHT Flex Diffuse Installation Guide - Naed Version (EN)
	Brochures Light is freedom of design (EN)

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899451971	FX-DCS -G1-CM2PF-IP67-500-X5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1295.00 g
4052899451995	FX-DCS -G1-CM2PF-IP67-TOPKIT5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1468.00 g
4052899452039	FX-DCS -G1-CM2PJ-IP67-0190-X5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1095.00 g
4052899452053	FX-DCS -G1-CM2PJ-IP67-TOPKIT5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1268.00 g
4052899452107	FX-DCS -G1-ECT-KIT20	Shipping carton box 10	200 mm x 200 mm x 110 mm	4.40 dm ³	496.00 g
4052899452176	FX-DCS -G1-EHT-KIT20	Shipping carton box 10	200 mm x 200 mm x 110 mm	4.40 dm ³	780.00 g
4052899452244	FX-DCS -G1-GL-25	Shipping carton box 20	200 mm x 200 mm x 110 mm	4.40 dm ³	760.00 g
4052899452015	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1426.00 g
4052899452077	FX-DCS -G1-CM2PJ-IP67-SIDEKIT5	Shipping carton box 10	195 mm x 295 mm x 160 mm	9.20 dm ³	1226.00 g
4052899452121	FX-DCS -G1-ECS-KIT20	Shipping carton box 10	200 mm x 200 mm x 110 mm	4.40 dm ³	412.00 g
4052899452206	FX-DCS -G1-EHS-KIT20	Shipping carton box 10	200 mm x 200 mm x 110 mm	4.40 dm ³	664.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.